

## Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

## Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
8B: Judson-----	100	Not limited		Not limited		Not limited	
11B: Colo-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ely-----	30	Not limited		Not limited		Not limited	
27B: Terril-----	100	Not limited		Not limited		Not limited	
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.06
55: Nicollet-----	95	Not limited		Not limited		Not limited	
62C2: Storden-----	95	Not limited		Not limited		Not limited	
62D2: Storden-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
62E2: Storden-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
73C: Salida-----	95	Not limited		Not limited		Very limited Droughty Gravel content	1.00 0.12
83B: Kenyon-----	100	Not limited		Not limited		Not limited	
83C2: Kenyon-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
83D: Kenyon-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
83F: Kenyon-----	100	Somewhat limited Slope	0.32	Not limited		Very limited Slope	1.00
84: Clyde-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
90: Okoboji-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
95: Harps-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
96: Turlin-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
107: Webster-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
118: Garwin-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
119: Muscatine-----	95	Not limited		Not limited		Not limited	
120B: Tama-----	100	Not limited		Not limited		Not limited	
133: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
135: Coland-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
138B: Clarion-----	100	Not limited		Not limited		Not limited	
138C2: Clarion-----	100	Not limited		Not limited		Not limited	
138D2: Clarion-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
151: Marshan-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
152: Marshan-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
153: Shandep-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
174B: Bolan-----	95	Not limited		Not limited		Not limited	
174C2: Bolan-----	95	Not limited		Not limited		Not limited	
175B: Dickinson-----	100	Not limited		Not limited		Not limited	
175C: Dickinson-----	100	Not limited		Not limited		Not limited	
177: Saude-----	95	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
177B: Saude-----	95	Not limited		Not limited		Not limited	
177C: Saude-----	95	Not limited		Not limited		Not limited	
178: Waukee-----	100	Not limited		Not limited		Not limited	
178B: Waukee-----	100	Not limited		Not limited		Not limited	
184: Klinger-----	95	Not limited		Not limited		Not limited	
198B: Floyd-----	95	Not limited		Not limited		Not limited	
201B: Coland-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Terril-----	35	Not limited		Not limited		Not limited	
213B: Rockton-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
214B: Rockton-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
214C2: Rockton-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
216C2: Ripon-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
217B: Ripon-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
221: Palms-----	100	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Content of organic matter	1.00	Content of organic matter	1.00	Content of organic matter	1.00
225: Lawler-----	95	Not limited		Not limited		Not limited	
226: Lawler-----	95	Not limited		Not limited		Not limited	
236B: Lester-----	100	Not limited		Not limited		Not limited	
236C: Lester-----	100	Not limited		Not limited		Not limited	
236D2: Lester-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
236F: Lester-----	100	Somewhat limited Slope	0.32	Not limited		Very limited Slope	1.00
284B: Flagler-----	100	Not limited		Not limited		Not limited	
284C: Flagler-----	100	Not limited		Not limited		Not limited	
329: Webster-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Nicollet-----	30	Not limited		Not limited		Not limited	
335: Harcot-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
373C2: Tallula-----	95	Not limited		Not limited		Not limited	
373D2: Tallula-----	95	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.63
377: Dinsdale-----	100	Not limited		Not limited		Not limited	
377B: Dinsdale-----	100	Not limited		Not limited		Not limited	
377C: Dinsdale-----	100	Not limited		Not limited		Not limited	
377C2: Dinsdale-----	100	Not limited		Not limited		Not limited	
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
391B: Clyde-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Floyd-----	35	Not limited		Not limited		Not limited	
398: Tripoli-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	95	Not limited		Not limited		Not limited	
407B: Schley-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
426: Aredale-----	95	Not limited		Not limited		Not limited	
426B: Aredale-----	100	Not limited		Not limited		Not limited	
426C: Aredale-----	100	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
426C2: Aredale-----	100	Not limited		Not limited		Not limited	
428B: Ely-----	95	Not limited		Not limited		Not limited	
444B: Jacwin-----	95	Not limited		Not limited		Not limited	
444C2: Jacwin-----	95	Not limited		Not limited		Not limited	
506: Wacousta-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
507: Canisteo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
512C: Marlean-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.01
512E: Marlean-----	100	Not limited		Not limited		Very limited Slope Content of large stones	0.96 0.01
512G: Marlean-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope Content of large stones	1.00 0.01
551: Calamine-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
559: Talcot-----	100	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
595: Harpster-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
612C2: Mottland-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.01
612E2: Mottland-----	100	Not limited		Not limited		Very limited Slope Content of large stones	0.96 0.01
613: Rossfield-----	100	Not limited		Not limited		Not limited	
613B: Rossfield-----	100	Not limited		Not limited		Not limited	
613C: Rossfield-----	100	Not limited		Not limited		Not limited	
613C2: Rossfield-----	100	Not limited		Not limited		Not limited	
613D2: Rossfield-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
620C: Port Byron-----	100	Not limited		Not limited		Not limited	
620C2: Port Byron-----	100	Not limited		Not limited		Not limited	
620D2: Port Byron-----	100	Not limited		Not limited		Somewhat limited Slope	0.63
620E2: Port Byron-----	100	Somewhat limited		Not limited		Very limited	



FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.08			Slope	1.00
621: Houghton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Content of organic matter	1.00	Content of organic matter	1.00	Content of organic matter	1.00
638C2: Clarion-----	55	Not limited		Not limited		Not limited	
Storden-----	35	Not limited		Not limited		Not limited	
638D2: Clarion-----	55	Not limited		Not limited		Somewhat limited Slope	0.63
Storden-----	35	Not limited		Not limited		Somewhat limited Slope	0.63
733: Calco-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
760: Ansgar-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
761: Franklin-----	95	Not limited		Not limited		Not limited	
771B: Waubee-----	100	Not limited		Not limited		Not limited	
771C: Waubee-----	100	Not limited		Not limited		Not limited	
782B: Donnan-----	95	Not limited		Not limited		Not limited	
782C2: Donnan-----	95	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
828B: Zenor-----	100	Not limited		Not limited		Not limited	
828C: Zenor-----	95	Not limited		Not limited		Somewhat limited Slope	0.16
933: Sawmill-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
956: Harps-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Okoboji-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1135: Coland-----	100	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
1173: Hoopeston Variant---	95	Not limited		Not limited		Not limited	
5010: Gravel-----	50	Not rated		Not rated		Not rated	
Pits, Sand And Gravel-----	50	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	50	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Franklin County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pits, Limestone Quarry-----	50	Not rated		Not rated		Not rated	
5550: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	